



CONQ-R-DUST DUST MOP TREATMENT

HMIS		NFPA	Personal protective equipment
Health	2	2	
Flammability	4	4	
Physical Hazard / Instability	0	0	

Version Number: 2

Preparation date: 2014-11-20

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: CONQ-R-DUST DUST MOP TREATMENT

MSDS #: MS0301517
Product Code: 04751
Recommended use:
 • Industrial/Institutional
 • Floor care

Manufacturer, importer, supplier:
 US Headquarters
 Diversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address: www.diversey.com
Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)
 Canadian Headquarters
 Diversey, Inc. - Canada
 3755 Laird Road
 Mississauga, Ontario L5L 0B3
 Phone: 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
 CAUSES EYE IRRITATION. MAY BE MILDLY IRRITATING TO SKIN. WARNING.

Principal routes of exposure: Eye contact. Skin contact. Inhalation.
Eye contact: Severe eye irritation.
Skin contact: May be mildly irritating to skin.
Inhalation: May be irritating to nose, throat, and respiratory tract.
Ingestion: May cause irritation to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Mineral spirits	8032-32-4	10 - 20%	5000	Not available	=3400 ppm (4 h)
Propane	74-98-6	5 - 10%	2400	Not available	=658 mg/L (4 h)
Butane	106-97-8	1 - 5%	2000	Not available	=658 g/m ³ (4 h)
d-Limonene	5989-27-5	0.1 - 1.5%	4400	>5 g/kg	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Inhalation: If breathing is affected, remove to fresh air. Get medical attention.
Ingestion: Give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

Aggravated Medical Conditions: to an unconscious person.
None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Extinguishing media which must not be used for safety reasons: No information available.
Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol.
Unusual hazards: None known.
Specific methods: Aerosol Product - Containers may rocket or explode in heat of fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: No information available.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: Chemical-splash goggles.
Hand protection: Chemical-resistant gloves
Skin and body protection: No special protective clothing is required.
Respiratory protection: No special protective clothing is required.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Mineral spirits	8032-32-4			400 ppm (STEL) 1800 mg/m ³ (STEL) 300 ppm (TWA) 1350 mg/m ³ (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	
Butane	106-97-8	1000 ppm (STEL)		800 ppm (TWA) 1900 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol
Appearance: Aerosol
Specific gravity: 0.889
Vapor density: No information available
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Insoluble
Solubility in other solvents: No information available
Partition coefficient (n-octanol/water): No information available
Elemental Phosphorus: 0.00 % by wt.
pH: 7
Explosion limits: - upper: Not determined - lower: Not determined

Bulk density: No information available
Evaporation Rate: No information available
Color: Clear, White
Odor: Amine Fruity
Melting point/range: Not determined
Autoignition temperature: No information available
Density: 7.41 lbs/gal 0.889 Kg/L
Flash point: 19 °F -7 °C
Viscosity: No information available
VOC: 20.02 % *
Dilution pH: 7 @ RTU

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur.
Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3.

Chronic toxicity: None known

Specific effects

Carcinogenic effects: • None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

Ingredient(s)	CAS #	NTP	IARC	OSHA
d-Limonene	5989-27-5			

12. ECOLOGICAL INFORMATION

Environmental Information: No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as an ignitable waste. Dispose of according to all federal, state and local applicable regulations.

RCRA Hazard Class (undiluted product): D001 Ignitable Waste

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Aliphatic hydrocarbons	64742-47-8	-	-	-	-
Mineral spirits	8032-32-4	-	X	X	-
Propane	74-98-6	X	X	X	-
Sorbitan monooleate	1338-43-8	-	-	-	-
Butane	106-97-8	X	X	X	-
d-Limonene	5989-27-5	-	X	-	-

CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate: X

CONQ-R-DUST DUST MOP TREATMENT

Delayed: -
Fire: X
Reactivity: -
Sudden Release of Pressure: X

Canada



Ingredient(s)	CAS #	NPRI
Aliphatic hydrocarbons	64742-47-8	X
Mineral spirits	8032-32-4	X
Propane	74-98-6	X
d-Limonene	5989-27-5	X

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.