### Carbol Fuchsin, Ziehl-Neelsen



#### Section 1

### **Product Description**

**Product Name:** Carbol Fuchsin, Ziehl-Neelsen **Recommended Use:** Science education applications Synonyms: Carbol Fuchsin, Castellani's paint Distributor: Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

**Chemical Information:** 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

#### Section 2

### Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

### **DANGER**









Causes skin irritation. Causes serious eye damage. Toxic if inhaled. Suspected of causing genetic defects. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life.

#### **GHS Classification:**

Serious Eye Damage/Eye Irritation Category 1, Skin Corrosion/Irritation Category 2, Germ Cell Mutagenicity Category 2, Carcinogenicity Category 2, Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2, Acute Toxicity -Inhalation Vapor Category 3, Hazardous to the aquatic environment - Acute Category 3

**Other Safety Precautions:** IF exposed or concerned: Get medical advice/attention.

**Acute Toxicity Inhalation Vapor** 

**Contains** 

11.046 % of the mixture consists of ingredient(s) of unknown toxicity

#### Composition / Information on Ingredients Section 3

Chemical Name	CAS#	<u>%</u>
Water	7732-18-5	88.95
Ethanol	64-17-5	6.6
Phenol	108-95-2	3.52
2-Propanol	67-63-0	0.36
Methanol	67-56-1	0.33
Basic Fuchsin	632-99-5	0.23

# Section 4

**Emergency and First Aid Procedures** Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. **Skin Contact:** 

Take off contaminated clothing and wash before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### Section 5

### Firefighting Procedures

First Aid Measures

**Extinguishing Media:** 

Use media suitable to extinguish surrounding fire.

Fire Fighting Methods and Protection:

Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: **Hazardous Combustion Products:**  Fire or excessive heat may produce hazardous decomposition products.

Carbon dioxide. Carbon monoxide

#### Section 6

### Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Clean up spills immediately using Protective Equipment recommended in Section 8 at a minimum.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

### Section 7

### Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as

required.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep container tightly closed in a

cool, well-ventilated place.

Storage Code: Green - general chemical storage

#### Section 8

### **Protection Information**

	ACC	<u>SIH</u>	OSHA PEL	
Chemical Name	<u>(TWA)</u>	(STEL)	<u>(TWA)</u>	(STEL)
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
Phenol	5 ppm TWA	N/A	5 ppm TWA; 19	N/A
			mg/m3 TWA	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			mg/m3 TWA	
Basic Fuchsin	N/A	N/A	N/A	N/A

**Control Parameters** 

Eye Protection:

**Engineering Measures:** Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

**Personal Protective Equipment (PPE):** 

**Respiratory Protection:** 

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Wear chemical splash goggles when handling this product. Have an eye wash station

**Skin Protection:** Avoid skin contact by wearing chemically resistant gloves, an apron and other protective

equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Gloves:

Nitrile

#### Section 9

#### Phvsical Data

Formula: See Section 3 Vapor Pressure: No data available

Molecular Weight: No data available Appearance: Dark Red Liquid Odor: Moderate Alcohol Odor Odor Threshold: No data available

pH: No data available

Melting Point: No data available Boiling Point: No data available Flash Point: No data available

Flammable Limits in Air: No data available

Evaporation Rate (BuAc=1): No data available Vapor Density (Air=1): No data available Specific Gravity: No data available

Solubility in Water: Soluble

Log Pow (calculated): No data available Autoignition Temperature: No data available Decomposition Temperature: No data available

Viscosity: No data available

Percent Volatile by Volume: No data available

### Section 10 Reactivity Data

**Reactivity:** Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition. Elevated temperatures

**Incompatible Materials:** Water-reactive materials, Organic Peroxides, Strong acids, Oxidizing materials,

Acetaldehydes, Mineral acids, Metals

Hazardous Decomposition Products: Carbon oxides
Hazardous Polymerization: Will not occur

### Section 11 Toxicity Data

**Routes of Entry** Inhalation and ingestion., Inhalation, ingestion, eye or skin contact.

Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression, Dizziness, Central Nervous System

Disorders, Cardiovascular system, Impaired Kidney Function, Respiratory disorders, Numbness

**Delayed Effects:** No data available

Acute Toxicity: Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Phenol	108-95-2	Oral LD50 Rat 512 mg/kg	Dermal LD50 Rabbit 630 mg/kg	INHALATION LC50 Rat 316 MG/M3
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm

Basic Fuchsin 632-99-5

Carcinogenicity: **IARC NTP OSHA Chemical Name CAS Number** Ethanol 64-17-5 Listed Listed Listed Phenol 108-95-2 Not listed Not listed Not listed Listed Not listed Not listed 2-Propanol 67-63-0 Methanol 67-56-1 Not listed Not listed Not listed Basic Fuchsin 632-99-5 Listed Not listed Listed

**Chronic Effects:** 

**Mutagenicity:** Evidence of a mutagenic effect.

**Teratogenicity:** No evidence of a teratogenic effect (birth defect).

**Sensitization:** No evidence of a sensitization effect.

**Reproductive:** No evidence of negative reproductive effects.

**Target Organ Effects:** 

Acute: Kidneys, Central Nervous System, Cardiovascular system, Lungs, Eyes

**Chronic:** Kidneys, Liver, No information available, Eyes, Bladder

### Section 12 Ecological Data

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

**Mobility:** This material is expected to have very high mobility in soil. It does not absorb to most soil types.

Persistence: Photodegradation, Biodegradation

Bioaccumulation: No data

**Degradability:** Biodegrades quickly.

Other Adverse Effects: No data

Chemical Name	CAS Number	Eco Toxicity
Water	7732-18-5	No data available
Ethanol	64-17-5	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]
		48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC]
		24 HR EC50 DAPHNIA MAGNA 10800 MG/L
		48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
Phenol	108-95-2	96 HR LC50 BRACHYDANIO RERIO 27.8 MG/L
		96 HR LC50 LEPOMIS MACROCHIRUS 13.5 MG/L [STATIC]
		96 HR LC50 ONCORHYNCHUS MYKISS 5 - 12 MG/L
		96 HR LC50 PIMEPHALES PROMELAS 32 MG/L
		48 HR EC50 DAPHNIA MAGNA 10.2 - 15.5 MG/L
		96 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 46.42
		MG/L
2-Propanol	67-63-0	96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 μG/L
		96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]
		48 HR EC50 DAPHNIA MAGNA 13299 MG/L
		72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
		96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]
Basic Fuchsin	632-99-5	No data available

### Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): U188 - Phenol

### Section 14 Transport Information

**Ground - DOT Proper Shipping Name:**Not regulated for transport by US DOT.

Air - IATA Proper Shipping Name:
Not regulated for air transport by IATA.

## Section 15 Regulatory Information

**TSCA Status:** All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
Phenol	108-95-2	Phenol	1000 lb RQ	1000 lb final RQ; 454 kg final RQ	500 lb lower TPQ; 10000 lb upper TPQ	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	No	No	No	No	No
Basic Fuchsin	632-99-5	No	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California

to cause cancer, birth defects or other reproductive harm.

### Section 16 Additional Information

Revised: 09/03/2014 Replaces: 09/03/2014 Printed: 09-11-2014

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

<b>Glossary</b> ACGIH	American Conference of Governmental	NTP	National Toxicology Program
ACGIT	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health